



## Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact [support@jstor.org](mailto:support@jstor.org).

voyage and the exact date of his illness is a little uncertain, but it became very marked immediately after he had landed. He was taken to a house in this city where he remained 2 days and was moved to the John Sealy Hospital December 26. Doctor Graves, professor of medicine at the university here, made a diagnosis of yellow fever on the 27th, reported the facts to me and invited me to see him, which I did. The case presented all the typical symptoms of yellow fever, including black vomit, and died on the evening of December 28. The autopsy was held a few hours after death. Owing to the lateness of the hour they were unable to notify me and I was not present, but the findings were typical of yellow fever. The ship was refumigated and the rooms which the patient had occupied were disinfected. Doctor Trueheart, the health officer, informs me that a careful search for the last 2 months has failed to show the presence of any *Stegomyia fasciata* in this city, and any additional cases from this source can hardly be apprehended.

*Report from Norfolk, Va.—Smallpox.*

Passed Assistant Surgeon Blue reports, January 3, as follows: On the 2d instant a seaman suffering with smallpox was admitted to hospital. For the past 20 days the patient has been employed on the steamer *Hampton Roads*, which plies between Norfolk, Smithfield, and Old Point, Va.

The origin of the infection could well be in Norfolk, as there are a number of cases of the disease here and in Berkeley. At Craney Island, on which the hospital for contagious diseases of Norfolk is located, there are now 40 cases undergoing detention, and 5 or more are under quarantine at their homes in the city.

The health board believes that with general vaccination and fumigation of all infected premises the disease will soon be stamped out.

The entire crew of the steamship *Hampton Roads* have been vaccinated and the forecabin has been fumigated with sulphur.

STATISTICAL REPORTS OF STATES AND CITIES OF THE UNITED STATES,  
YEARLY AND MONTHLY.

CALIFORNIA—*Stockton*.—Month of December, 1905. Estimated population, 20,000. Total number of deaths 27, including diphtheria 1, and 2 from tuberculosis.

CONNECTICUT—*Stamford*.—Month of December, 1905. Estimated population, 19,000. Total number of deaths not reported. No deaths from contagious diseases reported.

GEORGIA—*Columbus*.—Month of November, 1905. Estimated population, 20,764; white, 12,244; colored, 8,520. Total number of deaths 24; white 12, colored 12, including 2 from phthisis pulmonalis.

IOWA.—*Keokuk*.—Month of December, 1905. Estimated population, 16,000. Total number of deaths 18, including 3 from tuberculosis.

*Ottumwa*.—Month of December, 1905. Estimated population, 23,000. Total number of deaths 18, including enteric fever 1, and 5 from tuberculosis.

MASSACHUSETTS.—*Newton*.—Month of December, 1905. Estimated population, 36,694. Total number of deaths 26, including diphtheria 1, whooping cough 1, and 1 from phthisis pulmonalis.

MISSOURI.—*St. Louis*.—Month of November, 1905. Estimated population, 685,000; white, 643,000, colored, 42,000. Total number of deaths, 791; white 694, colored 97, including diphtheria 14, enteric fever 8, and 118 from tuberculosis.

MONTANA.—*Helena*.—Month of December, 1905. Estimated population, 13,000. Total number of deaths not reported. No deaths from contagious diseases reported.

NEW HAMPSHIRE.—*Concord*.—Month of December, 1905. Estimated population, 20,000. Total number of deaths, 19, including 1 from tuberculosis.

*Franklin*.—Month of December, 1905. Estimated population, 6,000. Total number of deaths, 12, including 2 from tuberculosis.

NEW YORK.—*Saratoga Springs*.—Month of December, 1905. Estimated population, 12,119. Total number of deaths, 20, including 1 from tuberculosis.

NORTH CAROLINA.—*Charlotte*.—Month of December, 1905. Estimated population, 40,000. Total number of deaths, 29, including 4 from tuberculosis.

OHIO.—*Ironton*.—Month of December, 1905. Census population, 11,868. Total number of deaths, 9. No deaths from contagious diseases reported.

PENNSYLVANIA.—*Altoona*.—Month of December, 1905. Census population, 38,973. Total number of deaths, 71, including measles 1, and 5 from tuberculosis.

*Dunmore*.—Month of December, 1905. Estimated population, 17,500. Total number of deaths, 7. No contagious diseases reported.

*Sharon*.—Year 1905. Census population, 8,916. Total number of deaths, 255, including enteric fever 24, and 15 from tuberculosis.